

Collection no. 57.

Manilla Dist., N.S.W.

K.H.L. Key.

9-11/7/1954.

Boggabri to Manilla

9/7/1594 Boggabri. 597 Manilla turn-off.  
*Cedaria* sp.

597=598. 1616. Rocky hill with Kurrajong,  
Oleandra, etc. & tussocky wire grasses.

10/7. 1647. Manilla. 686.8 Cabbadah. 690.1

*Muelliodora*, *blackelyi* & apple, moderately  
*Keyaeria* sp., *Tetradlea* sp.

Humus, on flat and hill slope. *Bothriochloa*  
(~~for *Stenanthium*~~), *Themeda australis*, &  
a *Helichrysum* (sample) in patches.

*Keyaeria* closely conditioned by the

*Helichrysum*: quite numerous. Soil  
crown upper

compact/loam. 699. Horton. 704. ~~Narrabri~~

turn-off. Continued  
Bingara ~~turn-off~~. ~~Turned~~ towards Narrabri.

706. Return. 731. Bingara

11/7. 1779. Bundarra. 786. *Muelliodora*,  
*Keyaeria* sp.

*blackelyi*, much humus, with very dry  
& mostly short *Bothriochloa*. *Helichrysum*  
present here & there, but sparse & close-

cropped. 791. Abington. 792. *Sideroxylon*,  
*Moraba callinka*, *Keyaeria* sp.

albans, & *blackelyi* on a rise, with *Acacia*  
sp. to 3 ft., patches of *Bursaria*, scattered

leafy shrubs to 18 in. & thin *Helicopsis*.  
Sparse grass - mainly *Arishida*, some  
*Themeda*. 1825. Uralla.

12/7. 1853. Walcha. 1887. Yarrumitch. 1937  
Ellenborough.

N.B. On this trip numerous stops were  
made between 1792 and Port Macquarie.  
Nothing was found, but the weather  
was cold, windy, and mostly  
drizzling.